



**REPORT OF ANALYSIS**

<b>Client</b> : CHEMCENTRE CORNER MANNING ROAD AND SOUTH ENTRANCE OF CURTIN UNIVERSITY BENTLEY WA 6103	<b>Job No.</b> : CHEM06/240201 <b>Quote No.</b> : QT-02254 <b>Order No.</b> : 23S2658 <b>Date Sampled</b> : <b>Date Received</b> : 01-FEB-2024 <b>Sampled By</b> : CLIENT
<b>Attention</b> : CHRIS MAY <b>Project Name</b> : <b>Your Client Services Manager</b> : Tim Reddan	<b>Phone</b> : 03 9644 4854

Lab Reg No.	Sample Ref	Sample Description
V24/001814	23S2658/004	HONEY

Lab Reg No.	Sample Reference	Units	Method
V24/001814	23S2658/004		
<b>Antimicrobials</b>			
Total Antimicrobial Activity	%	> 35	VM1.29
<b>Dates</b>			
Date Tested		12-FEB-2024 00:00	

ND = Not Detected.

V24/001814

Total Antimicrobial Activity is expressed as phenol equivalent %.

Results calculated above the standard curve and beyond the linear range of the standard curve are designated >35% Total Activity.

Naveen Rayala, Analyst  
 Microbiology - Vic

22-FEB-2024

Results relate only to the sample(s) as received and tested.

\* Denotes the analyte or test method is not within our ISO/IEC 17025 scope of accreditation.

Measurement Uncertainty is available upon request.  
 This Report shall not be reproduced except in full.

**Chris May** <CMay@chemcentre.wa.gov.au>

22 Feb 2024,  
16:08

to mwahoney2019@gmail.com, me

Hello Sam,

Please see the attached results regarding the analysis of your samples.

We've also received the following advice from NMI regarding the total activity testing:

Total Antimicrobial Activity is expressed as phenol equivalent %.

TA% results calculated for sample:

**V24/001811 was 47%**

**V24/001812 was 59%**

**V24/001813 was 43%**

**V24/001814 was 51%**

These result numbers are above the standard curve, beyond the linear range of the standard curve and therefore designated >35% TA. These numbers are provided for comparative purposes only and are not for use on labels or product claims.

Should you have any queries regarding the report, please let me know.

Cheers,  
Chris

**Dr Chris May** · Team Leader - Organic Chemistry  
T +61 8 9422 9935 · F +61 8 9422 9801  
Post PO Box 1250, Bentley Delivery Centre WA 6983  
Location Resources and Chemistry Precinct  
Cnr Manning Road and Townsing Drive, Bentley WA 6102

[www.chemcentre.wa.gov.au](http://www.chemcentre.wa.gov.au)

#### **Acknowledgement of Country**

We acknowledge the traditional custodians throughout Western Australia and their continuing connection to the land, waters and community. We pay our respects to all members of the Aboriginal communities and their cultures; and to Elders both past and present.